

RUGGED, TRUCK MOUNTED MILITARY SHELTER WITH 300 KVA UPS

ESİS Mobile Uninterruptible Power Supply is designed and manufactured according to military standards and is used to supply high power systems working at field. It is composed 300 kVA UPS, Industrial Air Conditon System, Cabin and Semi Trailer. It can work in hard environmental conditons. System is equipped with air conditoning to work at temperature between -25°C and $+45^{\circ}$ C. Cabin carried by the trailer can be used as mobile or fixed unit by placed in the platorm. The system can be carried on 30% gradient asphalt and stabilize road and safety brakes can fix the whole system on %30 gradient.



| | ATLAS 5300 MODEL UPS |
|------------------|--|
| Apparent Power | 300 kVA |
| Active Power | 240 kW |
| Input Voltage | 380 Vac ± %20 3 Ph+N+PE |
| Input Frequency | 47 - 53 Hz |
| Output Voltage | 380 Vac \pm %1 (Online Mod) |
| Output Frequency | 50 Hz |
| Efficiency | 93% |
| Battery Quantity | 60 |
| Backup Time | 10 min. |
| Communication | Modem, SNMP (Optional) |
| Technology | Online, Double Conversion, Transformerless, High Frequency PWM |
| Standards | EN62040-1, EN62040-21, EN62040-3 |



| | CABINET |
|-----------------------|-----------------------------------|
| Material | 3 mm. Steel (EN 10130 Compliant) |
| Protection Level | IP55 |
| Protection | Surge, Vibration, Rain, Corrosion |
| Internal Lightning | 400 Lux |
| Color | Olive Green |
| Dimensions (WxDxH) mm | 2450 x 7280 x 2400 |
| Weigt (kg) | Empty : 3500, Full : 9100 |



| SEMI TRAILER | | |
|------------------------|--------------------|--|
| Material | ST-52 Steel | |
| Max. Carrying Capacity | 18 ton | |
| Suspension System | Air Type | |
| Braking System | Air Type | |
| Max. Speed (Secured) | 60 km/h | |
| Color | Olive Green | |
| Dimensions (WxDxH) mm | 2500 x 7280 x 1600 | |
| Weigt | 4400 kg | |

| INDUSTRIAL AIR CONTION SYSTEM | | |
|-------------------------------|-------------------|--|
| Model | S230A + 1 x HCE29 | |
| Total Capacity | 26.6 kW | |
| SHR | 0.89 | |
| EHR | 3.41 | |
| Compressor Quantity | 1 | |
| Fan Quantity | 1 | |
| Air Circulation | 5750 m³/h | |
| Max. ESP | 270/270 Pa | |
| Acoustic Noise | 54.4 dBA | |